



MID WHEELS **SLS**

SLS

○ Spec



Metallic Gray(MGR)



Metallic Gray(MGR)

Product Name	SLS
Size	12inch/13inch/14inch/15inch/16inch/17inch/18inch
Construction Method	Cast 1pc. Wheel Made in China
Safety Standards	JWL VIA compliant *12X3.50B, 13X4.00B, 13X5J, 14X5J are JWL-T compliant
Color	Metallic Gray(MGR)
Included	Center cap, valve
Optional	Center cap ¥3,000 (ex. tax), valve ¥400 (ex. tax)

Prices are noted in Japanese YEN(JPY). Specifications in the English version are intended for customers outside of Japan and do not include Japan sales tax.

SIZE	INSET (): HUB CLEARANCE (mm)	HOLE	P.C.D.	HUB BORE (φ)	DRILL (φ)	PRICE	CALIPER CLEARANCE	DISK PROTRUSIO N (mm)
						MGR		
12x3.5B	42(30)	4	100	67.1	32-13	15,500	-	17
13x4B	43(33)	4	100	67.1	32-13	16,500	-	12.8
13x5J	45(35)	5	114.3	60.1	32-13	17,500	-	13
14x4.5J	45(33)	4	100	67.1	32-13	18,500	***	9.9
14x5J	40(38)	4	100	67.1	32-13	19,000	-	12
14x5.5J	38(42)	4	100	67.1	32-13	19,000	-	12.5
	45(35)							
15x4.5J	45(33)	4	100	67.1	32-13	20,500	***	9.9
15x5.5J	43(42)	4	100	67.1	32-13	21,500	-	12.5
	50(35)							
15x6J	45(42)	5	100	67.1	32-13	22,000	-	13.1
	52(35)		114.3	73.1				
16x6J	42(35)	4	100	67.1	32-13	25,500	-	11.3

16x6.5J	48(42)	5	100	67.1	32-13	26,000	-	12
	38(52)		114.3	73.1				
	48(42)							
	53(37)							
17x6.5J	40(45)	5	114.3	60.1	32-13	30,000	-	3.8
17x7J	50(42)	5	100	67.1	32-13	30,500	-	12.5
	38(54)		114.3	73.1			**	
	50(42)						-	
18x7J	48(42)	5	100	67.1	32-13	35,000	-	12
	55(35)		114.3	73.1				
18x8J	35(45)	5	114.3	73.1	32-13	37,000	* ** ,	4.5
	45(35)						**	

Caution

*The Mark's inset is the Big Caliper compatible model for 51FUGA, V36 Skyline Coupe, and Z34.

** The marked inset is a model for Crown 3.5L big calipers.

***The mark indicates models compatible with Solio and Delica D:2 calipers.

17 and 18-inch wheels are compatible with the air sensor valves of the V37 Skyline.

16 to 18-inch wheels are compatible with the air sensor valves of LEXUS and the E52 Elgrand.

This product has the disk protruding beyond the rim, so please take care when installing.

12X3.50B, 13X4.00B, 13X5J, 14X5J are compliant with JWL JWL-T VIA standards.