



# MID RACING R06

6-spoke style, the royal road to sports wheels

## ○ Spec



White(WHI)(With sticker)  
18x9.5J



White(WHI)  
18x9.5J



Black Clear Polish(BCP)(With sticker)  
18x9.5J

Product Name	R06
Size	15inch/16inch/17inch/18inch
Construction Method	Cast flow-formed 1-piece wheel Made in China
Safety Standards	JWL VIA compliant (5-139.7/6-139.7 are JWL JWL-T VIA compliant)
Color	Crystal Black(CBK) Black Clear Polish(BCP) White(WHI)
Included	NO.4 MID Racing Center Cap Air Valve(Black) Sticker Set
Optional	NO.4 MID Racing Center Cap ¥ 3,000 Air valve(Black) ¥ 800 Spoke Sticker for Crystal Black (Red): ¥2,200 Spoke Sticker for Black Clear Polish (Luminous Yellow): ¥2,500 Spoke Sticker for White (Red): ¥2,200

Prices are noted in Japanese YEN(JPY). Specifications in the English version are intended for customers outside of Japan and do not include Japan sales tax.

SIZE	INSET ( ): HUB CLEARANCE ( mm )	HOLE	P.C.D.	HUB BORE ( φ )	DRILL ( φ )	PRICE			CALIPER CLEARANCE	DISK PROTRUSIO N ( mm )	Load (kg)	Load (lbs)
						BCP	CBK	WHI				
15x5J	45(39)	4	100	67.1	29-13	36,000	31,000	33,000	-	8.2	500	1,102
15x7J	35(36)	4	100	67.1	29-13	-	34,000	-	-	-	500	1,102
16x7J	35(39)	4	100	67.1	29-13	45,000	40,000	-	-	-	530	1,168
17x6.5J	38(39)	6	139.7	106.1	29-13	49,000	44,000	-	-	-	955	2,105
17x7J	48(43)	5	114.3	73.1	29-13	50000	45,000	47,000	-	1.4	690	1,521
17x7.5J	42(39)	4	100	67.1	29-15	-	46,000	-	-	0.3	530	1,168
	40(41)	5			29-13	51,000			∇GR86Brembo(ZN8)	-	0.3	540
	44(37)		114.3	73.1	-	-			-	0.3	690	1,521
18x7.5J	50(43)	5	114.3	73.1	29-13	56,000	50,000	52,000	-	-	690	1,521
	48(45)		100	67.1							540	1,190
18x8J	55(42)	6	139.7	95.1	33-15	-	55000	-	-	-	955	2,105
18x8.5J	45(35)	5	100	67.1	29-15	57,000	51,000	53,000	∇GR86Brembo(ZN8)	-	540	1,190
			114.3	73.1					θη■▲#▲■		690	1,521
	38(42)	-	∇θη■▲#△Ω■	-	-							
18x9.5J	60(27)	5	120	64.1	32-■14R	59,000	53,000	55,000	CIVIC TypeR(FK2,FK8,FL5)	-	720	1,587
	12(44)		114.3	73.1	29-15	-			-		∇θη■▲#△Ω■	690
	0(56)	-	-	-	-	-	-					
18x10.5J	22(38)	5	114.3	73.1	29-15	-	55,000	-	∇θη■▲#△Ω■	-	690	1,521
	12(48)											

Caution

\*14R : ball seat, cannot use taper seat nuts

[ CALIPER CLEARANCE ]

▼ : IMPREZA (GDB 4POT)

▽ : IMPREZA (GDB & GRB 4POT)

⊖ : WRX STI (4POT)

η : WRX STI (6POT)

§ : GR 86/BRZ Brenbo (ZN8/ZD8)

■ : IS, GS, RC, CROWN (210), MARK-X (3.5L)

∠ : IS-F

◎ : RC-F

# : SILVIA (S15)

△ : SKYLINE (R34GT-R, CPV35, CKV36, HV37, RV37/400R)

▲ : SKYLINE (R34 GT-R)

□ : SKYLINE (CKV36, HV37, RV37/400R)

α : SKYLINE (CKV36, HV37), FUGA(Y51)

β : SKYLINE (HV37)

γ : SKYLINE (CPV35)

○ : FAIRLADY Z (Z33, Z34, RZ34 ※except NISMO)

● : FAIRLADY Z (Z34, RZ34 ※except NISMO)

Ω : FAIRLADY Z (Z33)

☆ : LANCER EVO.(VII~IX, X)

★ : LANCER EVO.X

Σ : LANCER EVO.(VII~IX)

◆ : GT-R (R35/φ380 rotor)

◇ : GT-R (R35/φ380, φ390 rotor)

■ : GR YARIS (RZ)

Ψ : ROADSTER (ND)/124 Spider Brembo

※CALIPER CLEARANCE are for reference only and do not guarantee inspection, and/or the size mandated by local authorities. Selecting sizes is by your own judgement and we recommend consulting fitments with a professional outlet.