



# M6 CARBINE

Straight, rugged 6-spoke design

## ○ Spec

Product Name	M6 CARBINE
Size	14inch / 15inch / 16inch / 17inch
Construction Method	Cast 1 piece wheel Made in China
Safety Standards	6H-139.7 JWL(800KG) JWL-T(955KG) / 5H-139.7 JWL(620KG) JWL-T(700KG) / 5H-114.3 JWL(690KG) / 4-100 JWL(500KG) VIA compliant
Color	DARK BRONZE(DBR) GUN BLACK(GBK)
Included	Air Valve Center Cap(excludes 5-139.7 size)
Optional	Air valve ¥ 800 Center cap(excludes 5-139.7 size) ¥ 3000



GUN BLACK(GBK)17×8.0J



DARK BRONZE(DBR)16×7.0J



GUN BLACK(GBK)16×7.0J

Prices are noted in Japanese YEN(JPY). Specifications in the English version are intended for customers outside of Japan and do not include Japan sales tax.

SIZE	INSET ( ): HUB CLEARANCE ( mm )	HOLE	P.C.D.	HUB BORE ( φ )	DRILL ( φ )	PRICE	
						GNB	DBR
<b>14x4.5J</b>	45(35)	4	100	67.1	29-13	38,500	38,500
<b>15x4.5J</b>	45(35)	4	100	67.1	29-13	40,500	40,500
<b>15x6J</b>	33(35)	6	139.7	106.1	29-13	42,500	42,500
	-5	5		108.8			-
<b>16x5.5J</b>	20	5	139.7	108.8	29-13	47,500	47,500
<b>16x6J</b>	-5	5	139.7	108.8	29-13	48,500	48,500
<b>16x6.5J</b>	48(32)	6	139.7	100.1	29-13	49,500	-
	38(42)			106.1			49,500
<b>16x7J</b>	40(43)	5	114.3	73.1	29-13	50,500	50,500
<b>17x6.5J</b>	48(32)	6	139.7	100.1	29-13	58,500	-
	38(42)			106.1			-
<b>17x7J</b>	42(43)	5	114.3	73.1	29-13	59,500	-

<b>17x8J</b>	20(38)	6	139.7	106.1	29-13	63,500	-
--------------	--------	---	-------	-------	-------	--------	---

Caution

This product has the disk protruding beyond the rim depending on the size, so please take care when installing